

Product	Appearance	Active ingredient	Colour	Melting point (onset)
<b>Sulphenamides</b>				
<b>LUVOMAXX® CBS</b>	Granules/ oil-coated powder	N-cyclohexyl-2 benzothiazolesulphenamide	Off-white/ greyish	98 °C
<b>LUVOMAXX® DCBS</b>	Granules/ oil-coated powder	N,N-dicyclohexyl-2-benzothiazolesulphenamide	Light beige	96 °C
<b>LUVOMAXX® TBBS</b>	Granules/oil-coated powder	N-tert-butyl-2-benzothiazolesulphenamide	Off-white/ greyish	104 °C
<b>LUVOMAXX® TBSI</b>	Oil-coated powder	N-tert-butyl-di(2-benzothiazole) sulphenimide	Off-white to cream	137 °C
<b>Thiazoles</b>				
<b>LUVOMAXX® MBT</b>	Granules/ oil-coated powder	2-Mercaptobenzothiazole	Light yellow	171 °C
<b>LUVOMAXX® MBTS</b>	Granules/ oil-coated powder	Dibenzothiazyl disulphide	Pale yellow	165 °C
<b>LUVOMAXX® ZMBT</b>	Granules/oil- coated powder	Zinc salt of 2-mercapto-benzothiazole	Light yellow	200 °C
<b>Dithiocarbamates</b>				
<b>LUVOMAXX® TDEC</b>	Granules/oil- coated powder	Tellurium diethyl dithiocarbamate	Orange to yellow	110 °C
<b>LUVOMAXX® ZBEC</b>	Granules/oil- coated powder	Zinc dibenzyl dithiocarbamate	White	180 °C
<b>LUVOMAXX® ZDBC</b>	Granules/oil- coated powder	Zinc dibutyl dithiocarbamate	White	104 °C
<b>LUVOMAXX® ZDEC</b>	Granules/oil-coated powder	Zinc diethyl dithiocarbamate	White	174 °C
<b>Guanidines</b>				
<b>LUVOMAXX® DPG</b>	Granules/ oil coated powder	Diphenylguanidine	Off-white/ greyish	144 °C
<b>Dithiophosphates</b>				
<b>LUVOMAXX® ZDTP</b>	Viscous liquid	Zinc dialkyl dithiophosphate	Yellowish	-10 °C
<b>Thiurams</b>				
<b>LUVOMAXX® DPTT</b>	Granules/oil- coated powder	Dipentamethylenethiuram tetrasulphide	White to light yellow	103 °C
<b>LUVOMAXX® TBzTD</b>	Granules/oil- coated powder	Tetrabenzylthiuram disulphide	White	130 °C
<b>LUVOMAXX® TETD</b>	Granules/oil- coated powder	Tetraethylthiuram disulphide	Light yellow	66 °C
<b>LUVOMAXX® TiBTD</b>	Granules/oil- coated powder	Tetraisobutylthiuram disulphide	White	65 °C
<b>LUVOMAXX® TMTM</b>	Granules/oil- coated powder	Tetramethylthiuram monosulphide	Yellow	104 °C
<b>Thioureas</b>				

Product	Appearance	Active ingredient	Colour	Melting point (onset)
<b>LUVOMAXX® ETU</b>	Granules/oil- coated powder	N-N'-ethylene thiourea (2-mercaptoimidazoline)	White	195 °C
<b>LUVOMAXX® MTT</b>	Powder	3-methyl thiazolidine-2-thione	Off-white	65°C
<b>Sulphur donors</b>				
<b>LUVOMAXX® DTDM</b>	Oil- coated powder	4,4'-dithiodimorpholine	White	119 °C
<b>Amine Accelerators</b>				
<b>LUVOMAXX® HMT</b>	Crystal powder	Hexamethylene tetramine	White	> 200°C sublimates