Chem. Description	Features and Benefits
2-Amino-1,3-Ethyl-Propandiol	Especially suitable for metalworking fluids for aluminium. Acts as a formaldehyde and sulphur odor scavenger. Reacts reversibly with formaldehyde. Reduces cobalt leaching.
2-Amino-2-Ethyl-1,3-Propane-Diol (85%)	Multifunctional primary amine with very mild odor. Low-VOC (< 5g/L), more efficient than other low-VOC alkanolamines.
4-Ethyl-2-(8-Heptadecenyl)-2-Oxazoline-4-Methanol	Good corrosion control. Low Foaming. Mild oxidative properties. Emulsion stabilizer. Liquid emulsion stabilizer for water-in-oil and oil-in- water emulsions.
3-Amino-3-Methyl-2-Butanol	Primary amino alcohol with well-balanced performance that provides highly effective multimetal compatibility and reduces cast iron corrosion, aluminum staining, and cobalt leaching. Highly efficient neutralizer with a high pKa, provides excellent pH stability and enhances microbial degradation resistance when used with registered biocides.
2-Amino-2-Methyl-1-Propanol	Cost efficient alkaline pH development and neutralization of acidic components. Acts as formaldehyde scavenger. High base strength. Stable emulsion at high pH. Minimal ammonia release. Aviable with 75% / 90% / 95% active content (rest water).
2-Amino-2-Methyl-1-Propanol	Stable emulsions at high pH. Low ammonia release, cobalt leaching and foam generation. Low secondary amine content (< 0.75%, meets TRGS 611). High base strength. Stable emulsions at high pH. Minimal ammonia release. Aviable with 75% / 90% / 95% active content (rest water).
	2-Amino-1,3-Ethyl-Propandiol  2-Amino-2-Ethyl-1,3-Propane-Diol (85%)  4-Ethyl-2-(8-Heptadecenyl)-2-Oxazoline-4-Methanol  3-Amino-3-Methyl-2-Butanol  2-Amino-2-Methyl-1-Propanol

Product	Chem. Description	Features and Benefits
CORRGUARD® FLEX	2-Amino-1-Butanol,2-Amino-2-Ethyl-1,3-Propanediol (85%)	Primary amine suitable for low secondary amine formulations. Improved corrosion control and extended fluid life. Effective pH control, easy to handle and easy to formulate.
CORRGUARD® EXT	3-Amino-4-Octanol (85%)	Multifunctional Neutralizer for Long- Life Metalworking Fluids. Excellent pH stability, low foam generation. Excellent ferrous metal corrosion control. Resists extraction into tramp oil. Facilitates formulation of aluminium compatible fluids at higher pH. Compliant with TRGS 611.
CORRGUARD® SI	Proprietary Anionic Organic Chemistry	Premier staining inhibitor for metalworking fluids. Can be used for aluminium alloys, galvanized steel and galvaneal.
DMAMP <sup>®</sup> -80	2-Dimethylamino-2-Methyl-1-Propanol (80%)	Cost efficient alkaline pH development and neutralization of acidic components. Acts as formaldehyde scavenger. High base strength. Stable emulsion at high pH. Minimal ammonia release. Aviable with 75 % / 90% active content (rest water).
HYDROGUARD® I-15	N-Isopropylhydroxylamine, Aqueous Solution (15%)	Oxygen scavenger, efficiently removes oxygen without catalysts. Provides excellent passivation of steel surfaces in pre-boiler and boiler areas. Safer to handle than hydrazine. For all types of steam generation systems.